Author Index

Aguilar, M. I., see Hodder, A. N. 391
——, see Purcell, A.W. 113, 125
Andersson, T., see Hagel, L. 329
Anspach, F. B.
——, Johnston, A., Wirth, H.-J., Unger, K. K. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 205
Babashak, J. V.
—— and Phillips, T. M.
Isolation of a specific membrane protein by immunoaffinity chromatography with biotinylated antibodies immobilized on avidin-coated glass beads 187
Batterham, M. P., see Simpson, R. J. 345
Bertolini, J., see Guthridge, M. 445
Bischoff, R.
——, Clesse, D., Whitechurch, O., Lepage, P. and Roitsch, C.
Isolation of recombinant hirudin by preparative high-performance liquid chromatography 245
Black, J. A., see Burke, T. W. L. 377
Boel, E., see Mortensen, S. B. 277
Brown, S. W., see Kolbe, H. V. J. 99
Brückner, H.
——, Wittner, R. and Godel, H.
Automated enantioseparation of amino acids by derivatization with *o*-phthaldialdehyde and N-acylated cysteines 73
——, see Lork, K. D. 135
Buchacher, A., see Jungbauer, A. 257
Burke, T. W. L.
——, Mant, C. T., Black, J. A. and Hodges, R. S.
Strong cation-exchange high-performance liquid chromatography of peptides. Effect of non-specific hydrophobic interactions and linearization of peptide retention behaviour 377
Burlina, A., see Plebani, M. 93
Capony, J. P., see Liautard, J. 439
Cartwright, G., see Coppola, G. 269
Choli, T.
——, Kapp, U. and Wittmann-Liebold, B.
Blotting of proteins onto Immobilon membranes. *In situ* characterization and comparison with high-performance liquid chromatography 59
Christensen, T., see Mortensen, S. B. 227
Clesse, D., see Bischoff, R. 245
Coppola, G.
——, Underwood, J., Cartwright, G. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. XCIII. A comparison of methods for the purification of mouse monoclonal immunoglobulin M autoantibodies 269
Cucchetti, E., see Fiorino, A. 83
Deckert, T., see Vidal, P. 467
Drake, A. F.
——, Fung, M. A. and Simpson, C. F.
Protein conformation changes as the result of binding to reversed-phase chromatography column materials 159
Ede, J. van, see Van Ede, J. 319
Eisenbeiss, F., see Seliger, H. 49
Esser, U., see Jilge, G. 37
Faggian, D., see Plebani, M. 93
Ferraz, C., see Liautard, J. 439
Fiorino, A.
——, Frigo, G. and Cucchetti, E.
Liquid chromatographic analysis of amino and imino acids in protein hydrolysates by post-column derivatization with *o*-phthalaldehyde and 3-mercaptopropionic acid 83
Frigo, G., see Fiorino, A. 83
Fung, M. A., see Drake, A. F. 159
Gardana, C., see Pace, M. 487
Giese, R. W., see Kresbach, G. M. 423
Girard, M., see Kolbe, H. V. J. 99
Godel, H., see Brückner, H. 73
Goetz, H., see Rozing, G. P. 3
Grott, A., see Janis, L. J. 235
Guthridge, M.
——, Bertolini, J. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides, proteins and polynucleotides. XCIV. Solid-phase hybridization of complementary oligonucleotides 445
Hagel, L.
——, Lundström, H., Andersson, T. and Lindblom, H.
Properties, in theory and practice, of novel gel filtration media for standard liquid chromatography 329
Hansen, B., see Vidal, P. 467
Hansen, M. T., see Mortensen, S. B. 227
Haring, R. M., see Welling-Wester, S. 477

Hearn, M. T. W., see Anspach, F. B. 205
——, see Coppola, G. 269
——, see Guthridge, M. 445
——, see Hodder, A. N. 391
——, see Lork, K. D. 135
——, see Purcell, A. W. 113, 125
Hjortshoej, K., see Mortensen, S. B. 227
Hodder, A. N.
——, Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXXIX. The influence of different displacer salts on the retention properties of proteins separated by gradient anion-exchange chromatography 391
Hodges, R. S., see Burke, T. W. L. 377
——, see Mant, C. T. 363
Hyder, S. M.
—— and Wittliff, J. L.
Separation of two molecular forms of human estrogen receptor by hydrophobic interaction chromatography. Gradient optimization and tissue comparison 455
Itani, M., see Kresbach, G. M. 423
Jadaud, P.
—— and Wainer, I. W.
Stereochemical recognition of enantiomeric and diastereomeric dipeptides by high-performance liquid chromatography on a chiral stationary phase based upon immobilized α-chymotrypsin 165
Jaeger, F., see Kolbe, H. V. J. 99
Janis, L. J.
——, Grott, A., Regnier, F. E. and Smith-Gill, S. J.
Immunological-chromatographic analysis of lysozyme variants 235
Jilge, G.
——, Unger, K. K., Esser, U., Schäfer, H.-J., Rathgeber, G. and Müller, W.
Evaluation of advanced silica packings for the separation of biopolymers by high-performance liquid chromatography. VI. Design, chromatographic performance and application of non-porous silica-based anion exchangers 37
Johnston, A., see Anspach, F. B. 205
Josić, D.
——, Reutter, W. and Reusch, J.
Crown ethers as ligands for high-performance liquid chromatography of proteins and nucleic acids 309
Jozefonvicz, J., see Zhou, F. L. 195
Jungbauer, A.
——, Tauer, C., Reiter, M., Purtscher, M., Wenisch, E., Steindl, F., Buchacher, A. and Katinger, H.
Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 257
Kapp, U., see Choli, T. 59
Katinger, H., see Jungbauer, A. 257
Kieny, M.-P., see Kolbe, H. V. J. 99
Kinkel, J. N., see Seliger, H. 49
Kolbe, H. V. J.
——, Jaeger, F., Lepage, P., Roitsch, C., Lacaud, G., Kieny, M.-P., Sabatie, J., Brown, S. W., Lecocq, J.-P. and Girard, M.
Isolation of recombinant partial *gag* gene product p18 (HIV-1_{Bru}) from *Escherichia coli* 99
Kotschi, U., see Seliger, H. 49
Kresbach, G. M.
——, Itani, M., Saha, M., Rogers, E. J., Vouros, P. and Giese, R. W.
Ester and related derivatives of ring N-pentafluorobenzylated 5-hydroxymethyluracil. Hydrolytic stability, mass spectral properties, and trace detection by gas chromatography–electron-capture detection, gas chromatography–electron-capture negative ion mass spectrometry, and moving-belt liquid chromatography–electron-capture negative ion mass spectrometry 423
Lacaud, G., see Kolbe, H. V. J. 99
Laurens, H., see Welling-Wester, S. 477
Lecocq, J.-P., see Kolbe, H. V. J. 99
Leibu, H. J., see Stout, R. W. 21
Lepage, P., see Bischoff, R. 245
——, see Kolbe, H. V. J. 99
Liautard, J.
——, Ferraz, C., Sri Widada, J., Capony, J. P. and Liautard, J. P.
Purification of synthetic oligonucleotides on a weak ion-exchange column 439
Liautard, J. P., see Liautard, J. 439
Lindblom, H., see Hagel, L. 329
Litzén, A.
—— and Wahlund, K.-G.
Improved separation speed and efficiency for proteins, nucleic acids and viruses in asymmetrical flow field flow fractionation 413
Lork, K. D.
——, Unger, K. K., Brückner, H. and Hearn, M. T. W.
Retention behaviour of paracelsin peptides on reversed-phase silicas with varying *n*-alkyl chain length and ligand density 135

Lundahl, P., see Mascher, E. 147
Lundström, H., see Hagel, L. 329
Mant, C. T.
——, Zhou, N. E. and Hodges, R. S.
Correlation of protein retention times in reversed-phase chromatography with polypeptide chain length and hydrophobicity 363
——, see Burke, T. W. L. 377
Martin, R., see Seliger, H. 49
Mascher, E.
—— and Lundahl, P.
Sodium dodecyl sulphate–protein complexes. Changes in size or shape below the critical micelle concentration, as monitored by high-performance agarose gel chromatography 147
Masiero, M., see Plebani, M. 93
Mauri, P. L., see Pace, M. 487
Moritz, R. L., see Simpson, R. J. 345
Mortensen, S. B.
——, Thim, L., Christensen, T., Woeldike, H., Boel, E., Hjortshoej, K. and Hansen, M. T.
Affinity chromatography of recombinant *Rhizomucor miehei* aspartic proteinase on Si-300 bacitracin 227
Müller, W., see Jilge, G. 37
Muller, D., see Zhou, F. L. 195
Nijmeijer, J. R. J., see Van Ede, J. 319
Örvell, C., see Welling-Wester, S. 477
——, see Van Ede, J. 319
Pace, M.
——, Mauri, P. L., Gardana, C. and Pietta, P. G.
High-performance liquid chromatographic assay for nicotinamide–adenine dinucleotide kinase 487
Paleari, C. D., see Plebani, M. 93
Peek, K.
——, Roberts, N. B. and Taylor, W. H.
Improved separation of human pepsins from gastric juice by high-performance ion-exchange chromatography 291
——, Roberts, N. B. and Taylor, W. H.
Heterogeneity of human pepsin 1, as shown by high-performance ion-exchange chromatography 491
Phillips, T. M., see Babashak, J. V. 187
Pietta, P. G., see Pace, M. 487
Plebani, M.
——, Masiero, M., Paleari, C. D., Sciacovelli, L., Faggian, D. and Burlina, A.
High-performance liquid chromatography for cyclosporin measurement: comparison with radioimmunoassay 93
Purcell, A. W.
——, Aguilar, M. I. and Hearn M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. XC. Investigations into the relationship between structure and reversed-phase high-performance liquid chromatography retention behaviour of peptides related to human growth hormone 113
——, High-performance liquid chromatography of amino acids, peptides and proteins. XCI. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 125
Purtscher, M., see Jungbauer, A. 257
Pyerin, W., see Taniguchi, H. 299
Rathgeber, G., see Jilge, G. 37
Regnier, F. E., see Janis, L. J. 235
——, see Thévenon, G. 499
Reid, G. E., see Simpson, R. J. 345
Reiter, M., see Jungbauer, A. 257
Reusch, J., see Josić, D. 309
Reutter, W., see Josić, D. 309
Roberts, N. B., see Peek, K. 291, 491
Rogers, E. J., see Kresbach, G. M. 423
Roitsch, C., see Bischoff, R. 245
——, see Kolbe, H. V. J. 99
Rousak, A. T., see Stout, R. W. 21
Rozing, G. P.
—— and Goetz, H.
Fast separation of biological macromolecules on non-porous, microparticulate columns 3
Sabatie, J., see Kolbe, H. V. J. 99
Saha, M., see Kresbach, G. M. 423
Santarelli, X., see Zhou, F. L. 195
Schäfer, H.-J., see Jilge, G. 37
Scharpf, C., see Seliger, H. 49
Sciacovelli, L., see Plebani, M. 93
Seliger, H.
——, Kotschi, U., Scharpf, C., Martin, R., Eisenbeiss, F., Kinkel, J. N. and Unger, K. K.
Polymer support synthesis. XV. Behaviour of non-porous surface-coated silica gel microbeads in oligonucleotide synthesis 49
Siebert, C. J., see Talmadge, K. W. 175
Simpson, C. F., see Drake, A. F. 159
Simpson, R.J.
——, Ward, L. D., Reid, G. E., Batterham, M. P. and Moritz, R. L.
Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 345

Smith-Gill, S. J., see Janis, L. J. 235
Sri Widada, J., see Liautard, J. 439
Steindl, F., see Jungbauer, A. 257
Stout, R. W.
——, Leibu, H. J., Rousak, A. T. and Wright, R.C. New porous organic microspheres for high-performance liquid chromatography 21
Talmadge, K. W.
—— and Siebert, C. J. Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 175
Taniguchi, H.
—— and Pyerin, W. Separation and purification of component proteins of the cytochrome P-450-dependent microsomal monooxygenase system by high-performance liquid chromatography 299
Tauer, C., see Jungbauer, A. 257
Taylor, W. H., see Peek, K. 291, 491
Thévenon, G.
—— and Regnier, F. E. Reversed-phase liquid chromatography of proteins with strong acids 499
Thim, L., see Mortensen, S.B. 227
Underwood, J., see Coppola, G. 269
Unger, K. K., see Anspach, F. B. 205
——, see Jilge, G. 37
——, see Lork, K. D. 135
——, see Seliger, H. 49
Van Ede, J.
——, Nijmeijer, J. R. J., Welling-Wester, S., Örvell, C. and Welling, G. W. Comparison of non-ionic detergents for extraction and ion-exchange high-performance liquid chromatography of Sendai virus integral membrane proteins 319
Vidal, P.
——, Deckert, T., Hansen, B. and Welinder, B. S. High-performance liquid chromatofocusing and column affinity chromatography of *in vitro* ^{14}C-glycated human serum albumin. Demonstration of a glycation-induced anionic heterogeneity 467
Vouros, P., see Kresbach, G. M. 423
Wahlund, K.-G., see Litzén, A. 413
Wainer, I. W., see Jadaud, P. 165
Ward, L. D., see Simpson, R. J. 345
Welinder, B. S., see Vidal, P. 467
Welling, G. W., see Van Ede, J. 319
——, see Welling-Wester, S. 477
Welling-Wester, S.
——, Haring, R. M., Laurens, H., Örvell, C. and Welling, G. W. Comparison of ion-exchange high-performance liquid chromatography columns for purification of Sendai virus integral membrane proteins 477
Welling-Wester, S., see Van Ede, J. 319
Wenisch, E., see Jungbauer, A. 257
Whitechurch, O., see Bischoff, R. 245
Widada, J. Sri, see Liautard, J. 439
Wirth, H.-J., see Anspach, F. B. 205
Wittliff, J. L., see Hyder, S. M. 455
Wittmann-Liebold, B., see Choli, T. 59
Wittner, R., see Brückner, H. 73
Woeldike, H., see Mortensen, S. B. 227
Wright, R. C., see Stout, R. W. 21
Zhou, F. L.
——, Muller, D., Santarelli, X. and Jozefonvicz, J. Coated silica supports for high-performance affinity chromatography of proteins 195
Zhou, N. E., see Mant, C. T. 363